

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04B 7/185, H04M 15/00	A1	(11) International Publication Number: WO 99/05799 (43) International Publication Date: 4 February 1999 (04.02.99)
(21) International Application Number: PCT/US98/14755		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 21 July 1998 (21.07.98)		
(30) Priority Data: 08/899,901 24 July 1997 (24.07.97) US		
(71) Applicant: QUALCOMM INCORPORATED [US/US]; 6455 Lusk Boulevard, San Diego, CA 92121 (US).		
(72) Inventor: DOYLE, Thomas, F.; 13680 Etude Road, San Diego, CA 92128 (US).		
(74) Agents: MILLER, Russell, B. et al.; Qualcomm Incorporated, 6455 Lusk Boulevard, San Diego, CA 92121 (US).		

(54) Title: **WIRELESS FLEET COMMUNICATIONS SYSTEM FOR PROVIDING SEPARABLE COMMUNICATIONS SERVICES**



(57) Abstract

A method and apparatus for providing personal and business mobile wireless communications service is described. A message (40) is received having a message type (44). Message separability and cost allocation is performed based on the message type. The message (40) is processed when the message (40) is a fleet message, and the message (40) is forwarded to a message management center (20a) when the message is a personal message. Once the message is forwarded, it is deleted. In one embodiment of the invention, the messages are transmitted via a wireless satellite link between a mobile communications terminal (10) and a network management system (16). A fleet computer (18a) receives the messages from the network management system (16) and, after determining whether they are personal or fleet messages, processes them accordingly.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

WIRELESS FLEET COMMUNICATIONS SYSTEM FOR PROVIDING SEPARABLE COMMUNICATIONS SERVICES

BACKGROUND OF THE INVENTION

5

I. Field of the Invention

The present invention relates to mobile communication. More particularly, the present invention relates to a novel and improved method and apparatus for providing separable personal and business mobile wireless communications service using a wireless fleet communications system.

II. Description of the Related Art

15 Wireless fleet communications systems allow the vehicles in a commercial vehicle fleet (typically tractor-trailer trucks) to stay in communication with a central management office using highly mobile wireless satellite links. The wireless links are formed by radio frequency (RF) signals relayed between mobile communications terminals (MCT) and 20 a hub using an earth orbiting satellite. A system and method for implementing a wireless fleet management system is described in US patent 4,979,170 entitled "ALTERNATING SEQUENTIAL HALF DUPLEX COMMUNICATION SYSTEM" assigned to the assignee of the present invention and incorporated herein by reference. The MCTs are typically 25 located within the fleet vehicles (tractor-trailer trucks) and are typically comprised of a digital computer combined with a RF transceiver system. An MCT typically includes a keyboard or other user input device and a display system such as and LCD.

Generally, business related communications are conducted using a 30 wireless fleet communication system. Such business related communications include the load status, location and condition of the fleet vehicle or driver, and instructions to the fleet driver as to the next desired destination. This information enables a central management office to better asses the state of, and control, its vehicle fleet so as to best use fleet resources. 35 Typically, transmitting this type of information in a mobile fashion reduces the need for the vehicle drivers to stop, and therefore increases fleet use efficiency.

While conducting business related communications using a wireless fleet communications system reduces the number of stops necessary to make 40 business related calls, fleet drivers must also stop on occasion to make

- important personal calls. For example, a fleet driver may need to take care of financial or family health matters, or inquire about family news. Making such personal calls reduces "on road" time, and therefore decreases fleet utilization. In addition, it is difficult for the driver's family to reach him or
- 5 her if something should arise needing immediate contact. Sometimes the family must contact the fleet's dispatcher and request that the dispatcher contact the driver to request that he call the family. This is a distraction to the fleet's operations staff, and is unsettling to the family because of the lack of privacy due to the dispatcher's involvement.
- 10 While fleet drivers could transmit a personal message to the central management office using the wireless fleet management system, these personal communications will have to be viewed and relayed by the management personnel. This is undesirable both from the fleet driver's perspective, due to privacy considerations, and from the fleet management's
- 15 perspective, as processing and relaying such message is time consuming. Also, since the drivers' personal communications are not separated from the fleet's, the fleet would bear the cost of the drivers' messages or would need to create an administrative system to deduct the costs from driver earnings or otherwise collect from drivers. Thus, the present invention is directed to
- 20 further increasing fleet utilization, as well as providing additional convenience to the fleet drivers, without significantly increasing cost to fleet management, by providing both private and business communications services in a wireless fleet communications system.

25

SUMMARY OF THE INVENTION

The present invention is a novel and improved method and apparatus for providing separable personal and business mobile wireless communications services using a wireless fleet management system. A

30 message is received having a certain "type" designation, which is used to associate it with message privacy level and billing rules. The type designation is preferably provided in a bit field within the message. For example, the type could be specified by the selection of a particular macro number. The message is processed within the wireless fleet management

35 system when the message is a fleet message, and at a message management center when said message is a personal message. The message is preferably deleted after being forwarded to the message management center. Also, the costs of transmitting personal type messages is billed to the driver or the message management center. In one embodiment of the invention, the

messages are transmitted via a wireless satellite link between a mobile communications terminal and a network management system. A fleet computer receives the messages from the network management system and, after determining whether they are personal or fleet messages, processes 5 them as described.

BRIEF DESCRIPTION OF THE DRAWINGS

The features, objects, and advantages of the present invention will 10 become more apparent from the detailed description set forth below when taken in conjunction with the drawings in which like reference characters identify correspondingly throughout and wherein:

15 FIG. 1 is a block diagram of a fleet management system configured in accordance with one embodiment of the invention;

FIG. 2 is a block diagram of a fleet computer when configured in accordance with one embodiment of the invention; and

15 FIG. 3 is a flow diagram illustrating the operation of the wireless fleet communications system in accordance with one embodiment of the invention.

20

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 is a block diagram of a wireless fleet communications systems 25 configured in accordance with one embodiment of the invention. Mobile communications terminal (MCT) 10 engages in bi-directional communication with network management center (NMC) 16 by relaying RF signals via satellite 14. NMC 16 is preferable comprised of a computer or computers coupled to a RF transceiver system. Although only one MCT 10 is shown, the wireless fleet communications system is usually comprised of 30 many MCTs 10, generally located within a fleet vehicle 12. Relaying the RF signals via satellite 14 allows communications to take place between MCT 10 and NMC 16 without a line of site connection, and therefore over a large geographical area. While the use of a satellite link is preferred due to the 35 large coverage area provided, other wireless links may also be used such the links provided in a cellular telephone system.

NMC 16 is coupled to fleet computers 18a and 18b, as well as other fleet computers not shown for ease of drawing. The connections can be formed in various ways including a periodic dial up connection, dedicated

wireline link, local area network or other wireless links. Fleet computers 18 are preferably conventional computer systems such as PC compatible computers or mini or mainframe systems configured with software for processing messages from NMC 16. Additionally, fleet computers 18 are 5 typically located at the corresponding fleet headquarters, while NMC 16 is located at the wireless fleet communications service provider. Fleet management is typically a customer of the wireless fleet communication service provider.

Fleet computer 18a is connected to message management centers 10 (MMC) 20a and 20b via dial-up or dedicated connection. MMC's 20 are preferably run by a third party communications service provider such as an internet service provider (ISP), paging or other telecommunications service provider. In the exemplary embodiment shown in FIG. 1, MMC 20a is a telephone service provider such as a local exchange carrier (LEC) coupled to 15 home telephone 22 via public switch telephone network (PSTN) 24. MMC 20b is an internet service provider coupled to home computer 26 using the internet 28.

During operation, MCT 10 transmits both personal and business messages to NMC 16, as selected by the input of a fleet driver. In an 20 exemplary embodiment of the invention, MCT 10 displays a set of message options, or "macros," that may be selected by the fleet driver via input into a keyboard that is part of MCT 10. One of the macros specifies the transmission of a personal message, and if selected requests the address to which the personal message is sent. Other macros select business messages. 25 Once selected, the message is transmitted to NMC 16 via the wireless link.

Preferably, the type of message being transmitted is indicated within that message. That is, whether the message is a personal or business message is indicated within the message itself, using a message type field or other message type indication information. Including message type 30 information provides message separability between personal messages and business related fleet messages. In one embodiment of the invention, the message type is preferably indicated within a macro number field contained in the message. Certain macro numbers are designated for personal messages and other macro numbers are designated for business messages. 35 Also, the message preferably contains a fleet identification field indicating, or allowing identification of, the particular fleet with which the message is associated. If the message is a personal message, the identify of the fleet driver is preferably indicated in a driver ID field. The fleet driver may be indicated implicitly by specifying the serial number or other identification

information of an MCT 10 assigned to a particular driver. The message may also contain a personal identification number (PIN) known only to the fleet driver to ensure that it is the true and correct fleet driver transmitting the message. Various other methods for indicating the message type, fleet 5 identify and message originator (driver) identity will be apparent. Additionally, the destination is indicated within the message using one or more destination fields.

NMC 16 receives a message and determines the associated fleet using the fleet indication field and the message type using the message type field. 10 In a first exemplary processing, when the message is associated with the fleet corresponding to fleet computer 18a, the message is forwarded to fleet computer 18a. Additionally, the messages are separated based on the message type. If the message is a fleet message, then the cost of transmitting the message is billed to the fleet management corresponding to fleet 15 computer 18a. If the message is a personal message, the cost of transmitting the message is billed to the fleet driver, or the fleet driver's selected communications service provider. Thus, message separability is provided using the message type field.

Upon receipt of the message, fleet computer 18a also examines the 20 message type field to determine if the message is a fleet message or a personal message. The messages are then separated and processed based on the message type. If the message is a fleet message, it is preferably processed by fleet computer 18a. Such processing can include notification that the message has been received, display of the message, so that management 25 personal may view it, storage of the message for recording purposes, or a combination thereof.

If the message is a personal message, fleet computer 18a performs a service provider look-up whereby the preferred service provider of the corresponding fleet driver is determined based on the driver ID field. The 30 preferred service providers for a set of particular drivers is preferably stored in a database maintained within fleet computer 18a (not shown), although other methods and locations for such storage are consistent with the use of the present invention. Once the preferred service provider is determined, the message is forwarded to the associated MMC 20, and the message is then 35 deleted from fleet computer 18a. Fleet computer also performs message format conversion between the message format used by the fleet communication system and the message format used by the internet and MMC 20 (for example TCP/IP) before forwarding the message.

- If mobile communications terminal 10 provides voice communications service, the service provider maybe a local exchange carrier (LEC) corresponding to MMC 20a. A LEC is generally the local telephone service provider. Upon receipt of the voice message from fleet computer 18a, MMC 20a stores the voice message until the voice message mail box is checked using home phone 22. Thus, the personal voice message has been delivered using MCT 10 without requiring the fleet driver to stop fleet vehicle 12. Thus, the number of necessary stops is reduced which, in turn, increases fleet use efficiency.
- 10 Similarly, if MCT 10 provides data messaging service such as e-mail, the service provider maybe an internet service provider as shown for MMC 20b. In this case, fleet computer 18a forwards the data message to MMC 20b and then deletes the message. Upon receipt of the message from fleet computer 18a, MMC 20b either forwards the message to home computer 26 15 via internet 28, or stores the message until home computer 26 comes on line. Home computer 28 may also access MMC 29b using a direct dial-up connection over PSTN 24. Once again, the personal message has been delivered using the wireless link, and therefore without requiring the fleet driver to stop fleet vehicle 12, while maintaining the confidentiality of the 20 message and correctly allocating the cost of that message transmission. Thus, the fleet driver has been provided with additional convenience and value while placing minimal burden on the fleet management.

An alternative method for processing messages is illustrated by the processing associated with messages from a fleet vehicle associated with fleet 25 computer 18b. Upon determining that a message is associated with fleet computer 18b, NMC 16 further determines the message type.

If the message is a fleet message it is forwarded to fleet computer 18b, and the cost of the message is billed to fleet management by creating a billing record in a billing database. If the message is a personal message, it is 30 forwarded directly to MMC 20c, which can be various types of systems including an internet service provider or a LEC as described above. Additionally, the cost of the message is billed to the fleet driver by entry of a billing record in the billing database. MMC 20c stores the message and routes it to a home computer 28 whenever the home computer 28 comes on line. Home computer 28 may also log directly into message management 35 center 20c via the PSTN 24 in alternative embodiments of the invention.

Billing can be performed via a debit account whereby the fleet driver maintains a balance with either fleet management, the wireless communications service provider, or the message management center.

When a personal message is processed the debit account is depleted by the cost of the message. A credit account may be substituted for the debit account. When a personal message is transmitted an entry is made in the credit account. At the end of a month or some other period of time, the 5 entries are summed, and a bill sent to the fleet driver. On line transfer of funds may be performed as well, where funds are transferred from a remotely located account in response to the transmission of a personal message.

In still another embodiment of the invention, fleet management pays 10 the cost of transmitting personal messages, and the fleet driver reimburses fleet management. Of course, the fleet driver could be billed directly by the wireless telecommunications service provider operating the network management center, or the network service provider could be billed by the wireless telecommunications service provider. Also, the determination of 15 proper billing does not have to be performed at the same location where message routing is performed.

By having NMC 16 forward personal messages directly to MMC 20c, rather than to the fleet computer as performed for fleet computer 18a, the ability to transmit both fleet and personal messages using the wireless link is 20 provided without consuming additional processing resources of fleet computer 18b while also allowing the cost of the message to be billed correctly. This further reduces the burden placed on fleet management. Additionally, by avoiding transfer of personal message messages to fleet computer 18b, the privacy of such messages is enhanced over messages 25 transmitted by way of fleet computer 18b and then deleted.

The present invention may also incorporate the use of address blocking, or address selection. For address blocking, fleet computer 18a or network management center 16 maintains a list of addresses for each fleet driver. Any requests to communicate with a fleet driver from an address on 30 the blocking list are then rejected. For address selection, addresses are stored within fleet computer 18a or network management center 16 and called up by preassigned tags or "nicknames" provided by the fleet driver during transmission of the message.

Another possible method for distinguishing between personal and 35 private messages is via the address of phone number to which the message is directed, or from which the message originates. This method is less desirable, however, in that the type service provided to each address must be predetermined. The use of a message type allows different treatment and processing of messages to be performed to any address and phone number,

thus providing greater flexibility over the use of address and telephone number to determine the correct message processing.

FIG. 2 is a block diagram of fleet computer 18a configured in accordance with one embodiment of the invention. Data message 40 is received by fleet computer 18b by way of the wireless link and NMC 16, and includes message content 42, driver ID 41 and message type field 44. Within fleet computer 18b, internal message routing unit 46 receives data message 40 and examines privacy field 44. If message type field 44 indicates a fleet message, data message 40 is passed to fleet message processing system 48 where it is processed in accordance with normal practice including display and storage.

If message type field 44 indicates a personal message, internal message routing unit 46 passes data message 40 to external message router system 50. External message router system 50 examines the driver ID 41 and determines the preferred service provider by performing a look-up within driver ID database 52. Based of the preferred service provider, external message routing unit 50 forwards data message 40 to a particular MMC.

FIG. 3 is a flow diagram illustrating the steps performed by MCT 10 and fleet computer 18a when transmitting a message in accordance with one embodiment of the invention. The processing begins within MCT 10 at step 70 and at step 72 MCT 10 determines if the message is a fleet message based on the keypad or other input from the fleet driver. If so the message type field is set to fleet message at step 74, and the message is transmitted at step 76. If the message is not a fleet message, and therefore a personal message has been selected, the message type field is set to personal message at step 78, and the message is transmitted at step 76. The processing for the message within MCT 10 then terminates at step 78.

Processing within fleet computer 18b begins at step 80 and at step 82 the message is received from MCT 10 by way of the wireless link and NMC 16 of FIG. 2. At step 84, fleet computer 18b determines if the message is fleet message, and if so the message is stored and further processed on the fleet computer 18a. If the message is not fleet message the message is forwarded to a message management center selected based on the fleet driver ID at step 86, since in the described two level embodiment the message is either personal or fleet message. Affirmative testing for a personal message type may be performed in alternative embodiments of the invention, and is required for embodiments of the invention having more than two message types. At step 88 the message is deleted from fleet computer 18a, and processing of the message terminates at step 92.

Thus, a communications systems providing separable personal and business communication services that increases fleet utilization has been described. By providing an MCT 10 that transmits messages including a message type field and a driver ID field, and a fleet computer that forwards

5 the message to a message management center if the message is a personal message, both personal and fleet message communications services are provided using the same wireless fleet communications system. The different processing also provides message privacy and correct cost allocation. Providing both fleet message and personal message

10 communication services using the same wireless fleet communication minimizes the number of stops made by a fleet driver, and therefore increases fleet usage efficiency.

The previous description of the preferred embodiments is provided to enable any person skilled in the art to make or use the present invention.

15 The various modifications to these embodiments will be readily apparent to those skilled in the art, and the generic principles defined herein may be applied to other embodiments without the use of the inventive faculty. Thus, the present invention is not intended to be limited to the embodiments shown herein but is to be accorded the widest scope consistent

20 with the principles and novel features disclosed herein.

I CLAIM:

CLAIMS

1. A method for providing fleet message and personal message communications service to a fleet of vehicles using a fleet communications system having a wireless link comprising the steps of:
2 receiving a message transmitted via said wireless link and having a message type;
4 processing said message when said type is fleet message; and
6 forwarding said message to a message management center when said
8 message type is personal.

2. The method as set forth in claim 1 wherein said step of processing comprises the step of storing said message.

3. The method as set forth in claim 1 wherein said step of processing comprises the step of generating notification of said message.

4. The method as set forth in claim 1 wherein said step of processing comprises the step of displaying said message.

5. The method as set forth in claim 1 wherein said message also has a driver ID, and said step of forwarding step is further comprised of the step of selecting a message management center based on said driver ID.

6. The method as set forth in claim 1 further comprising the step of deleting said message after said step of forwarding is performed.

7. The method as set forth in claim 1 wherein said message management center is an internet service provider.

8. The method as set forth in claim 1 wherein said message management center is a local exchange carrier.

9. The method as set forth in claim 1 wherein said message management center is a paging service provider.

10. A wireless fleet communications system comprising:

- 2 a mobile communication terminal for transmitting a message
having a message type field over a wireless link; and
4 a fleet computer for forwarding said message to a message
management center when said message type field is set to personal message
6 and for processing said message when said message type field is set to fleet
message.

11. The wireless fleet communications system of claim 10 further
2 comprising a network management system for routing said message to said
fleet computer based on a driver ID contained in said message.

12. The wireless fleet communications system as set forth in claim
2 11 wherein said fleet computer is further for deleting said message after
forwarding to said message management center.

13. The wireless fleet communications system as set forth in claim
2 11 wherein said network management system is an internet service
provider that forwards said message to a home computer.

14. A wireless fleet communications system comprising:
2 a mobile communication terminal for transmitting a message
having a message type field over a wireless link; and
4 a network management center for receiving said message, and
for forwarding said message to a message management center when said
6 message type field is set to personal message, and to a fleet computer when
said message type field is set to fleet message.

15. The wireless fleet communications system of claim 14 wherein
2 said message has a driver ID, and said network management center is
further for routing said message to one of a set of message management
4 centers based on said driver ID.

16. The wireless fleet communications system of claim 14 wherein
2 said message management center is an internet service provider.

17. The wireless fleet communications system of claim 14 wherein
2 said message management center is a paging service.

18. The wireless fleet communications system of claim 14 wherein
2 said message management center is an voice messaging service.

19. The wireless fleet communications system of claim 10 wherein
2 said network management center is further for billing fleet management
when said message type field is set to personal message and for bill a fleet
4 driver when said message type field is set to personal message.

20. The wireless fleet communications system of claim 10 wherein
2 said message type is selected by input into said mobile communications
terminal.




FIG. 1

2/3




FIG. 2

3/3




FIG. 3

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/US 98/14755

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04B7/185 H04M15/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 H04B H04M H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	BEUREL B: "SATELLITE MASSAGING SYSTEMS" COMMUTATION ET TRANSMISSION, vol. 15, 1 January 1993, pages 103-108, XP000396195 see the whole document	1-4, 10, 19, 20
Y	US 5 544 229 A (RULON JAMES M ET AL) 6 August 1996 see abstract see column 1, line 17 - column 2, line 21 see figure 1	1-4, 10, 19, 20
A	US 5 561 706 A (FENNER PETER R) 1 October 1996 see abstract see column 1, line 24-62 see column 2, line 38-59 see figure 1	19, 20
		-/-

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

4 December 1998

Date of mailing of the international search report

18/12/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Dejonghe, 0

INTERNATIONAL SEARCH REPORT

Int'l Application No.
PCT/US 98/14755

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 96 29831 A (HIGHWAYMASTER COMMUNICATIONS I) 26 September 1996 see abstract see page 2, line 1 - page 4, line 34 see figures 1,2 -----	1,10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/14755

Patent document cited in search report	Publication date	Patent family member(s)			Publication date
US 5544229	A 06-08-1996	US 5384831 A	24-01-1995		
		US 5222125 A	22-06-1993		
		AU 645921 B	27-01-1994		
		AU 2204292 A	11-03-1993		
		CA 2073997 A,C	04-03-1993		
		EP 0531048 A	10-03-1993		
		JP 7023111 A	24-01-1995		
		MX 9205001 A	01-04-1995		
US 5561706	A 01-10-1996	NONE			
WO 9629831	A 26-09-1996	US 5734981 A	31-03-1998		
		AU 5306196 A	08-10-1996		
		EP 0815695 A	07-01-1998		